

the pleasure to announce another, which we owe to the kindness of the Rev. Professor Henslow. It was formed by C. Darwin, Esq., of H. M. S. Beagle, in various countries between Maldonado, in the North, and Terra del Fuego, in the South, including the Falkland Islands,¹ and hence, as may be supposed, it has afforded several new plants, and new localities for some rarities which had been described before.

In order to render our Catalogue as complete as opportunities will allow, we have thought it best, before printing the continuation of the *Compositæ*, to introduce several plants recently received, which belong to such groupes of this family as have already been treated of in the first volume of this Work.

HYPOCHÆRIDÆ. *Less.—Hook. et Arn. hujusce vol. p. 30.*

735. (4.) *Seriola apargioides*, Less.—Var. *glabra*.—Add, an *Hypochæris arenaria*? *Gaudich. in Freyc. Voy. p. 46.*—Falkland Islands and Port Desire, *C. Darwin, Esq. (n. 338.)* Port Gregory, Patagonia. (*Herb. nostr.*)
737. (7.) Add, *Seriola incana* (Hook. et Arn.) *n. sp.*; tota tomento deciduo canescens, caule simplici monocephalo, foliis radicalibus anguste linearibus subulato-pungentibus subsessilibus exterioribus integerrimis intimis pinnatifidis segmentis remotis linearibus brevibus, involucri foliolis lanceolato-acuminatis obtusis.—St. Julian, *C. Darwin, Esq. (n. 347.)*—A small annual plant, three to four inches high, with the scapiform stem scarcely twice as long as the radical leaves, and bearing one or two leafy bracteas.
739. (1.) *Macrorhynchus Chilensis*, Less.—Add, Falkland Islands, *C. Darwin, Esq. (n. 335.)*
740. (1.) *Sonchus oleraceus*, L.—Add, Bahia Blanca, coast of Patagonia, *C. Darwin, Esq. (n. 342.)*
751. (1.) *Picosia longifolia*, Don.—Add, S. Chili, *Mr. Reynolds. (n. 45.)*
- 751* (1.) Add *Hedypnois rhagadiloides*, Willd.—Banda Orientale, *Tweedie.*—Probably introduced.
758. (5.) *Trixis discolor*, Gill.—Add, Woods of Tucuman, *Tweedie. (n. 1157.)*
759. (6.) *Trixis papillosa*, Gill.—Add, St. Jago and Tucuman, frequent, *Tweedie. (n. 1129.)*
- 761* (2*) Add *Perezia* (*Homœanthus squarrosa*, Less. in *Linnæa, v. 5. p. 13.*—*Perdicium squarrosus*, Vahl, in *Skript. Nat. Selsk. v. 1. p. 11. t. 6.*—*Homœanthus ambiguus*, Cass.—*Chætanthera ciliata*, Spr. (non *R. et P.*)—Banks of the Uruguay, near Salta, *Tweedie*, who observes that the flowers have the odour of violets.—Lessing describes this plant as having the foliola of the involucre entire: but they are not so in our plant, nor in the original one of Vahl, according to the latter author.
- 763.* (4.*) Add, *Perezia* (*Stenophyllum recurvata*, Less. in *Linnæa, v. 5. p. 21. Syn. Comp. p. 412.*—*Perdicium recurvatum*, Vahl, in *Skript. Nat. Selsk. v. 1. p. 10. t. 7.*—*Homœanthus echinulatus*, Cass. *Dict. v. 38. p. 455.*—Port Desire, *C. Darwin, Esq. (n. 311.)* Port George, Patagonia. (*Herb. nostr.*)
- 763.** (4.***) Add, *Perezia* (*Stenophyllum linearis*, Less. *Syn. Comp. p. 412.*—Add, *Araucania, Mr. Reynolds. (n. 16.)*
- 763.*** (6.*) Add, *Perezia lanigera* (Hook. et Arn.), *n. sp.*; nana, subcaulis, cæspitosa, foliis subulatis rigidis pungentibus marginibus revolutis glabris integerrimis basi dilatato-amplexantibus axillis dense lanigeris, involucri foliolis oblongis mucronatis omnibus integerrimis.—Port Desire, *C. Darwin, Esq. (n. 314.)*—A very small, cæspitose plant, scarcely an inch high, with rigid, subulate leaves, longer than the stem. The nearest affinity of this is with the section "*Stenophyllum*," Less.; but the leaves and involucre are quite destitute of teeth or ciliæ.
764. (5.) *Perezia* (*Euperezia*) *Magellanica*, Less.—Add, Cape Tres Montes, *C. Darwin, Esq. (n. 369.)*
- 767.* (9.) Add, *Perezia* (*Clarionia*) *lactuoides*, Less. in *Linnæa, v. 5. p. 22. Syn. Comp. p. 413.*—*Perdicium lactuoides*, Vahl, in *Skript. Nat. Selsk. v. 1. p. 10. t. 5.*—Straits of Magellan, at Cape Negro, *C. Darwin, Esq. (n. 315.)*
769. (1.) *Leuchæria senecionides*, Hook. et Arn.—Add, *Araucania, Mr. Reynolds. (n. 20.)*
773. (5.) *Leuchæria runcinata*, Gill.—Add, *Araucania, Mr. Reynolds. (n. 1.)*
- 776.* (8.*) Add, *Leuchæria volcanica* (Hook. et Arn.), *n. sp.*; caule arachnoideo albo-tomentoso subsimplici eglanduloso, foliis lineari-lanceolatis pinnatifidis basi attenuatis superioribus integerrimis segmentis patentibus recurvis mucronato-acuminatis, involucri campanulati foliolis oblongo-lanceolatis acumi-

¹ Some interesting extracts from the letter addressed by this gentleman to Professor Henslow, chiefly relating to the Geology of the countries, have been printed by the latter for private distribution.