

In fields and pastures: Virginia and Carolina. ♂. ♂.

July, Aug. v. v. Flowers large, bright yellow.

3. *H. foliis lyratis basi acutis superne dilatatis apice truncatis hirsutis, scapis 1-floris.* — *Walt. fl. car. 194.*

In Carolina. *Walter.* +.

604. TROXIMON. *Gært. carp. 2. p. 360. Pers. syn. 2.*
p. 360.

1. *T. scapo unifloro, calycinis foliolis imbricatis cuspidatis, foliis linearibus integerrimis utrinque glaucis.* *glaucum.*

On the banks of the Missouri. ♂. v. s.; v. v. in *Hortis.* Flowers bright yellow.

2. *T. glabrum, glaucum; caule erecto 2-3-fido subnudo, foliis glabris, radicalibus sublyratis, caulinis amplexicaulibus lanceolatis integerrimis glabris.* — *Pers. syn. 2. p. 260.* *virginicum.*

Hyoseris amplexicaulis. Mich. fl. amer. 2. p. 87.

Hyoseris prenanthoides. Willd. sp. pl. 3. p. 1615.

Hyoseris biflora. Walt. fl. car. 194.

Tragopogon virginicum. Sp. pl. p. 1111.

In meadows and moist shady woods: Pennsylvania to Carolina. 4. July, Aug. v. v. About a foot high; flowers handsome, yellow.

605. STOKESIA. *L'Herit. sert. angl. 27.*

1. *S. foliis lanceolatis, caule folioso, pedunculis axillaribus 1-floris.* — *Willd. sp. pl. 3. p. 1703.* *cyanea*

Carthamus laevis. Hill. kew. p. 57. t. 5.

Icon. L'Herit. l. c. t. 38.

In South Carolina. 4. v. s. in *Herb. Banks.* Flowers large, purple, very handsome.

606. ARCTIUM. *Gen. pl. 1253.*

1. *A. foliis caulinis cordatis petiolatis denticulatis, floribus paniculatis globosis, calycibus laevibus.* — *Willd. sp. pl. 3. p. 1631.* *Lappa.*

Icon. Fl. dan. 642. Engl. bot. 1228.

On road sides, among rubbish, and in cultivated grounds; frequent. ♂. July, Aug. v. v. Flowers purple. Common Burdock. Has probably been introduced.